

### 2020 National Green Building Standard ANSI Standard Revision Process

#### Second Draft

#### Request for Public Comment

March 25, 2019

#### Errata

Language from the Comments on the Public Comment Draft, that were Approved or Approved As Modified by the Consensus Committee at their February 11-13, 2019 meeting, that was not fully incorporated into the Second Draft Standard is included in this Errata (shown in [Blue text](#)).

<p><b>901.12 Furniture and Furnishings.</b> <del>In a multifamily building, all furniture in common areas shall have VOC emission levels in accordance with ANSI/BIFMA e3-Furniture Sustainability Standard sections 7.6.1 and 7.6.2, tested in accordance with ANSI/BIFMA Standard Method M7.1</del> <a href="#">Emission levels are determined by a laboratory accredited to ISO/IEC 17025 and the ANSI/BIFMA Standard Method M7.1 is in its scope of accreditation. Furniture and Furnishings are certified by a third-party program accredited to ISO 17065, such as, but not limited to, those in Appendix D.</a></p>	2
<p><b>902.3.2 Radon testing.</b> Radon testing is mandatory for Zone 1</p>	
<p><b>Exceptions:</b> <del>testing is not mandatory where the authority having jurisdiction has defined the radon zone as Zone 2 or 3.</del>  <a href="#">(1) Testing is not mandatory where the authority having jurisdiction has defined the radon zone as Zone 2 or 3.</a>  <a href="#">(2) Testing is not mandatory where the occupied space is located above an unenclosed open space.</a></p>	
<p>(1) Testing specifications. Testing is performance as specified in (a) through (j). <a href="#">Testing of a representative sample shall be permitted for multifamily buildings only.</a></p>	8
<p><b>11.902.3.2 Radon testing.</b> Radon testing is mandatory for Zone 1</p>	
<p><b>Exceptions:</b> <del>testing is not mandatory where the authority having jurisdiction has defined the radon zone as Zone 2 or 3.</del>  <a href="#">(1) Testing is not mandatory where the authority having jurisdiction has defined the radon zone as Zone 2 or 3.</a>  <a href="#">(2) Testing is not mandatory where the occupied space is located above an unenclosed open space.</a></p>	
<p>(1) Testing specifications. Testing is performance as specified in (a) through (j). <a href="#">Testing of a representative sample shall be permitted for multifamily buildings only.</a></p>	8